

SECTION 01 56 36

TEMPORARY SITE SECURITY AND SAFETY

PART 1 - GENERAL

1.1 SUBMITTALS

- A. Health and Safety Plan

1.2 PROTECTION

- A. Contractor shall continuously maintain protection as necessary to protect the Work, as a whole and in part, and adjacent property and improvements from accidents, injuries or damage.
- B. Contractor shall properly protect the Work:
 - 1. With lights, guard rails, temporary covers or barricades.
 - 2. Enclose excavations with proper barricades.
 - 3. Brace and secure all parts of the Work against storm and accident.
 - 4. Provide such additional forms of protection that may be necessary under existing circumstances.
- C. Contractor shall provide and maintain in good condition all protective measures required to adequately protect the public from hazards resulting from the Work and to exclude unauthorized persons from the Work. When regulated by Building Code, Cal OSHA, or other authority, such legal requirements for protection shall be considered as minimum requirements. Contractor shall be responsible for the protection in excess of such minimum requirements as required.

1.3 CONTROL OF SITE

- A. Contractor shall ensure that no alcohol, firearms, weapons, or controlled substance enters or is used at the Site. Contractor shall immediately remove from the Site and terminate the employment of any employee found in violation of this provision.

1.4 SAFETY PROGRAM

- A. Prior to starting any Work at the Site, Contractor shall submit a Safety Program that has been reviewed and approved by an Industrial Hygienist certified by the American Board of Industrial Hygiene or a Certified Safety Professional. The Safety Program shall include the name, certification number, and certification seal of the Industrial Hygienist or Certified Safety Professional. Contractor shall comply with the Safety Program and all applicable federal, state, and local regulation codes, rules, law and ordinances.

- B. Receipt and/or review of the Safety Program by City, Project Manager or City's Representative shall not relieve Contractor of any responsibility for complying with all applicable safety regulations.
- C. It is essential that Contractor and each Subcontractor implement an effective and vigorous Safety Program to cover their respective portions of the Work. Subject to Contractor's overall responsibility for Project safety, it shall be understood that the full responsibility for providing a safe place to work with respect to their respective portions of the Work rests with each individual Contractor and Subcontractor.
- D. Safety Program components:
 - 1. Injury and Illness Prevention Program (IIPP): Conforming to the General Industrial Safety Orders (CCR Title 8, Division 1, Chapter 4, Subchapter 7, Section 3203), and the California Labor Code (Section 6401.7).
 - 2. Site-Specific Safety and Health Plan (SSHP): Describing health and safety procedures that shall be implemented during the Work in order to ensure safety of the public and those performing the Work. Follow the guidelines for a SSHP listed in CCR Title 8, Division 1, Chapter 4, Subchapter 7, Section 5192, Item (b)(4) f.
- E. The wearing of hard hats shall be mandatory at all times for personnel on Site. Contractor shall supply sufficient hard hats to equip properly all employees and visitors.
- F. Whenever an exposure exists, appropriate personal protective equipment (PPE) shall be used by all affected personnel. Contractor shall supply PPE to all personnel under Contractor's direction.

1.5 SAFETY REQUIREMENTS

- A. Standards: Contractor shall maintain the Project in accordance with state and local safety and insurance standards.
- B. Hazards Control:
 - 1. Contractor shall store volatile wastes in covered metal containers and remove from premises daily.
 - 2. Contractor shall prevent accumulation of wastes that create hazardous conditions.
 - 3. Contractor shall provide adequate ventilation during use of volatile or noxious substances.
- C. Contractor shall conduct cleaning and disposal operations to comply with local ordinances and anti-pollution laws.
 - 1. Do not burn or bury rubbish or waste material on the Site

2. Do not dispose of volatile wastes such as mineral spirits, oil, or paint thinner in storm or sanitary drains
 3. Do not dispose of wastes into streams or waterways
- D. Provide accident information on the forms provided by Contractor. This information shall be provided on the same Day as the occurrence of said incident.

1.6 SITE SAFETY OFFICER

- A. Designate one of Contractor's staff as "Site Safety Officer" whose duties shall include the responsibility for enforcing the environmental protection provisions of the Contract Documents including safety and health, the requirements of the Occupational Safety and Health Act, and other applicable federal, state and local standards. Submit for review by City Contractor's intended Traffic Control Plan(s), Safety Plan, Access Plan. After review by City, the implementation and enforcement of these plans shall become the responsibility of the Site Safety Officer. Any changes in the plans shall be requested by Contractor through the Site Safety Officer for written concurrence by City.
- B. City's risk management representative(s) shall be allowed access to accident/injury and illness reports, inspection reports, scheduling and construction meetings, and safety meetings.

PART 2 - PRODUCTS NOT USED

PART 3 – EXECUTION NOT USED

-END OF SECTION-

This Page Left Blank Intentionally